# 1 D U U R1 L D P e FT@ 0



1 Du™˜ñ Q 5

℃

| | | | | | | | |
|---|---|---|---|---|---|---|---|
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |


Tanno


L


VDD
GND
CAPACITOR
TO VDD
TO GND

| | | |
|---|---|---|
| | | IROOQ<br>+L"J WKR |

+L 7HP %c–C

| | | |
|---|---|---|
| | | |
| | | |
| | | |
| | | |






CRITICAL ZONE
$T_L$ TO $T_P$
$t_P$
RAMP-UP
$T_P$
$T_L$
$T_{SMAX}$
$T_{SMIN}$
TEMPERATURE
$t_L$
$t_S$
PREHEAT
RAMP-DOWN
$t_{25°C}$ TO PEAK TEMPERATURE
TIME



| | | |
|---|---|---|
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |